



Nursery propagated prairie, woodland and wetland natives are our focus. We offer plants that are native to our area and our climate, soil and moisture conditions. We also offer some non native plants that are well adapted to our conditions. All plants have been tested in our gardens for three growing seasons or more. Unless noted as (NEW) or (2nd Year)
 We also offer Landscape Design and Consultation services
 Note: Plant availability may change due to unexpected events.

Scientific Name
 Actaea racemosa
Leaves:
Flower:
Habit:
Bloom Season:
Culture:
Utilization:
Hardiness:

Common Name
 Black Snakeroot, Black Cohosh
 Dark green, basal ternate, lobed or sharply toothed, 16".
 Racemes 2' long on branched stems.
 Clump forming perennial 4'-7' T X 2' W.
 Midsummer.
 Humus rich, moist well drained soil in part shade.
 Woodland or moist border.
 Zones 3-8.



Scientific Name
 Anemone patens
Leaves:
Flower:
Habit:
Bloom Season:
Culture:
Utilization:
Hardiness:

Common Name
 Pasque flower
 Whorled
 Earliest prairie flower to bloom
 1.5' T
 Spring
 Dry, sandy gritty soil, well drained
 Western exposure full sun or dry woodland edge
 Extremely hardy to the Arctic circle



Scientific Name
 Anemone virginiana
Leaves:
Flower:
Habit:
Bloom Season:
Culture:
Utilization:
Hardiness:

Common Name
 Tall Anemone
 Whorled
 1" inch green to white
 2'-3' T
 June-July
 Medium to dry soil, part sun
 Rocky or dry open woodlands




Scientific Name
 Asclepias tuberosa
Leaves:
Flower:
Habit:
Bloom Season:
Culture:

Common Name
 Butterfly Weed
 Lanceolate
 Umbel
 1-2' T
 May to Sept
 Full sun, dry to medium soil



Scientific Name
 Aster ericoides
Leaves:
Flower:
Habit:
Bloom Season:
Culture:

Common Name
 Heath Aster
 Hairy
 Daisy like and very numerous
 2' T
 Fall
 Full sun, dry to medium conditions



Scientific Name
 Aster oblongifolius
Leaves:
Flower:
Habit:
Bloom Season:
Culture:
Hardiness:

Common Name
 Aromatic Aster
 Lance shaped
 Blue violet ray flowers
 1'-2' T by mound
 Fall for 1-2 months
 Dry to medium soil
 Zone 3

2nd year



Scientific Name
 Baptisia australis
Leaves:
Flower:
Habit:
Bloom Season:
Culture:
Utilization:
Hardiness:
Add'l. Notes:

Common Name
 Wild indigo, Plains false indigo
 3-palmate leaves that are alternate and fully divided borne on branched stems. Leavers are 1 1/2" long.
 Racemes of pea like flowers.
 Gently spreading to erect perennial 5' T X 2' W.
 Early summer followed by black seedpods.
 Dry to moist soil in full sun
 Wildflower garden, open border, hillside or dry bank.
 Zones 3-9.
 Once established plants resent disturbance.



Scientific Name **Common Name**
 Campanula rotundifolia Harebells,
Flower: 1/2" bell shaped flowers and will rebloom in fall if deadheaded
Habit: 18" T x clump
Culture: Dry, full sun
Bloom Season: Spring and fall
Hardiness: Zones



Scientific Name **Common Name**
 Chrysopsis villosa Hairy Golden Aster
Flower: 1" flower with yellow beards.
Habit: 2' T
Bloom Season: June-Sept
Culture: Light shade to full sun, well drained to dry soil
Utilization: borders
Hardiness: Zones 4



Scientific Name **Common Name**
 Coreopsis lanceolata Lanceleaf Coreopsis
Flower: Gold-yellow flower
Habit: 2' T flowers, foliage forms a mound
Bloom Season: All summer if cool and moist
Culture: Full sun, part shade, medium to dry soil
Hardiness: Zones 4



Scientific Name **Common Name**
 Coreopsis palmata Plains Coreopsis
Flower: Yellow flower
Habit: 2'-3' T
Bloom Season: June thru August
Culture: Full sun, part shade, medium to dry soil
Hardiness: Zones 4



Scientific Name **Common Name**
 Geum triflorum Prairie Smoke
Flower: Pink seed heads look like smoke
Habit: 6" x clump
Bloom Season: May to June
Culture: Full sun, sand to loam, well drained
Utilization: Front of border or rock garden plant
Hardiness: Zone 4
Add'l. Notes: Foliage changes to red and yellow in the fall



Scientific Name **Common Name**
 Helianthus mollis Downy Sunflower
Flower: Butter yellow
Habit: Can go to 4'-6'
Bloom Season: Aug to Oct
Culture: Sun
Utilization: Dry, sandy soils
Hardiness: Zone 4

2nd year



Scientific Name **Common Name**
 Heliopsis helianthoides False Sunflower
Flower: Golden yellow
Habit: 3'-5'
Bloom Season: Early to late summer
Culture: Sun to part shade
Utilization: Moist to Dry well drained soils
Hardiness: Zone 4



Scientific Name **Common Name**
 Liatris aspera Rough Blazingstar
Habit: 2'-5' Tall
Bloom Season: late summer thru early fall
Culture: Full sun, medium to dry soil
Utilization: Dry black soil and sand prairies
Hardiness: Zones 3

NEW



Scientific Name

Liatrix cylindracea

Habit:

1-1 1/2' Tall

Bloom Season:

Mid to late summer

Culture:

Full sun, poor dry soil

Utilization:

Dry black soil and sand prairies

Hardiness:

Zones 3

NEW**Scientific Name**

Monarda fistulosa

Leaves:

Hairy, dull, soft green ovate to lance shaped 11/2"-4"

Flower:

3/4"-1 1/4" flowers with tinged bracts.

Habit:

Rhizomatous, clump forming perennial 4' T X 1.5' W.

Bloom Season:

Mid to late summer.

Culture:

Moderately fertile, moist, humus rich but well drained, soil in full sun.

Utilization:

Mixed, herbaceous borders.

Pests & Diseases:

Powdery mildew, rust and leaf spot.

Hardiness:

Zones 3-9.

Add'l. Notes:

Plant where there is morning sun and or good air circulation, bees and hummingbirds are attracted to the bee balms.

**Scientific Name**

Parthenium integrifolium

Habit:

Clump forming, 3'T x 1' W

Bloom Season:

Early to late summer, seedheads are attractive

Culture:

Moderately fertile, well drained, soil in part or full sun.

Utilization:

Perennial border

Hardiness:

Zones 3-8.

Common Name

Wild Quinine

**Scientific Name**

Penstemon calycosus

Habit:

Clump forming, 1'-3'T x 1' W

Flower:

1" white/violet tubular

Bloom Season:

Early to late summer, seedheads dieback after blooming

Culture:

Moderately fertile, well drained, soil in part or full sun.

Utilization:

Perennial border

Hardiness:

Zones 3-8.

Add'l. Notes:

Excellent hummingbird plant, blooms for long period

2nd year**Scientific Name**

Penstemon digitalis

Flower:

1" tubular, bell shaped borne on panicles.

Habit:

Semi-evergreen rosette base perennial 2'-3' T X 1' w.

Bloom Season:

Early to late summer, seedheads are attractive

Culture:

Moderately fertile, well drained, soil in part or full sun.

Utilization:

Mid border Perennial, excellent hummingbird plant

Hardiness:

Zones 2-8.

Self seeds, very drought tolerant and does well in medium clay.

**Scientific Name**

Phlox pilosa

Habit:

2' T

Culture:

Sun to part shade, moist to mesic soil

Bloom Season:

April to July, may repeat in fall

Utilization:

Sandy or rocky well drained soils, oak savannas

Hardiness:

Zone

Add'l. Notes:

May be short lived if conditions don't suit it

NEW**Scientific Name**

Pycnanthemum tenuifolium

Leaves:

Slender, threadlike

Flower:

Button like, looks good until fall

Habit:

Mat forming perennial, 1.5'-3'T

Bloom Season:

June to September

Culture:

Moist to dry in full sun to part shade

Utilization:

Naturalized meadow or sunny border

Hardiness:

Zones 4-9

Common Name

Slender Mountain Mint

**Scientific Name**

Ratibida columnifera

Leaves:

Hairy, pinnate grayish green 1 1/4"-6" leaves. Leaflets linear.

Flower:

3" daisy-like, with reflexed ray florets and large centers.

Habit:

Deciduous perennial 32" T X 1' W.

Bloom Season:

Early summer to late fall.

Culture:

Dry well drained neutral to slightly alkaline, fertile soil in full sun.

Utilization:

Wildflower meadow, sunny border, gravel garden.

Hardiness:

Zones 4-8.

Add'l. Notes:

Drought tolerant.

2nd year

Scientific Name
Ratibida pinnata
Leaves:
Bloom Season:
Habit:
Culture:
Utilization:
Hardiness:

Common Name
Yellow coneflower

3'-6' T
Early summer to late fall.
Clump forming herbaceous perennial 3'-6' T X 2' W.
Dry sand to clay
Herbaceous border, prairie gardens
Zones: 3-8



Scientific Name
Ruellia humilis
Leaves:
Bloom Season:
Habit:
Culture:
Utilization:
Hardiness:

Common Name
Wild Petunia

Hairy
Mid summer
Clump forming herbaceous perennial 1 T
Rock gardens, difficult dry soils
Well drained soils in full sun
Zones: 4-8



Scientific Name
Silene regia
Leaves:
Flower:
Habit:
Bloom Season:
Culture:
Hardiness:

Common Name
Royal Catchfly

Rosette
Red, star shaped 3/4"
Clump forming herbaceous perennial 3' T X 1'-1 1/2' W.
June-Aug
Dry to medium, full to part sun, excellent hummingbird/butterfly plant
Zones: 3-8



Scientific Name
Silene virginica
Leaves:
Flower:
Habit:
Bloom Season:
Culture:
Hardiness:

Common Name **2nd year**
Fire Pink

Rosette
Crimson to pink, star shaped 3/4"
Clump forming herbaceous perennial 3' T X 1'-1 1/2' W.
June-Aug
Dry to medium, full to part shade, excellent hummingbird/butterfly plant
Zones: 4-9



Scientific Name
Verbena stricta
Leaves:
Flower:
Habit:
Bloom Season:
Culture:
Utilization:
Hardiness:

Common Name
Woolly verbena

8-48" tall, woolly, hairy
small floret along the spike
2'-5' T x clump
Summer
Dry to medium
Mid to back of sunny dry border, excellent hummingbird plant
Zones: 4-7



GRASSES AND GRASSLIKE PLANTS

Scientific Name
Andropogon gerardii
Leaves:
Flower:
Habit:
Bloom Season:
Culture:
Utilization:
Hardiness:

Common Name
Big bluestem

Long strappy
Resembles a turkey foot
Vase shape clump forming grass
August to October
Full sun, dry to moderate moisture
Specimen plant or back of border
Zone 4



Scientific Name
Bouteloua curtipendula
Leaves:
Flower:
Habit:
Bloom Season:
Culture:
Utilization:
Hardiness:

Common Name
Side Oats Grama

Long strappy, 16"-32" long
June to August
Sod forming grass, creeps slowly
August to October
Full sun, dry to moderate moisture
Specimen plant or back of border
Zone 3



Scientific Name
Carex bicknellii
Leaves:
Flower:
Habit:
Bloom Season:
Culture:
Utilization:
Hardiness:
Add'l. Notes:

Common Name **NEW**
Copper Shouldered Oval Sedge

5"-10" light green leaves.
1/2" ovoid spikes.
Gently spreading, deciduous perennial 1.5'-2.5' T X 1.5' W.
Early to midsummer.
Dry to medium soil in sun or partial shade.
Nearly anywhere in the garden, doesn't like to be crowded by taller plants
Zones 3-8.
Remove dead leaves in summer



Scientific Name

Hystrix patula

Leaves:**Flower:****Habit:****Bloom Season:****Culture:****Utilization:****Hardiness:****Add'l. Notes:****Common Name**

Bottlebrush Grass

Strappy

Bottlebrush like and holds well into winter

3'-5' T x clump

June to August

Shade to sun, Dry to medium soil

Woodland plantings

Zone 3

Allow to self seed, short lived perennial

**Scientific Name**

Panicum virgatum

Leaves:**Flower:****Habit:****Bloom Season:****Culture:****Utilization:****Hardiness:****Common Name**

Switch grass

Flat linear, mid green to 2' long.

20" long weeping panicles.

Rhizomatous, deciduous, upright 3' T X 2.5' W.

Early summer.

Moderately fertile, well drained, soil in sun.

Herbaceous, mixed or sunny border.

Zones 5-9.

**Scientific Name**

Schizachyrium scoparia

Leaves:**Flower:****Habit:****Bloom Season:****Culture:****Utilization:****Hardiness:****Common Name**

Little Bluestem

Grassy like leaves

Seedhead

2' T x clump

Fall

Full Sun, Dry to Medium soil

Front of border for fall and winter interest

Zones 3

**Scientific Name**

Sporobolus heterolepis

Leaves:**Habit:****Bloom Season:****Culture:****Hardiness:****Common Name**

Prairie Dropseed

Grass like drooping leaves

1'-2' T x clump

August to frost

Full Sun, rocky soil

Zone 3

**SHRUBS AND SMALL TREES****Scientific Name**

Amorpha canescens

Flower:**Habit:****Bloom Season:****Culture:****Utilization:****Hardiness:****Common Name**

Leadplant

Purple spike

2'-4' deciduous shrub

Early summer

Full sun, well drained

Wildflower garden, perennial border

Zones 2-6.

**Scientific Name**

Calycanthus floridus

Flower:**Habit:****Bloom Season:****Culture:****Utilization:****Hardiness:****Add'l. Notes:****Common Name**

Carolina Allspice

Deep red, upright

6'-8' T x W shrub

May or June

Sun to part shade

Woodland edge or understory

Zones 4-9

Crush the leaves to smell allspice

Limited**Scientific Name**

Ceanothus americanus

Flower:**Habit:****Bloom Season:****Culture:****Utilization:****Hardiness:****Add'l. Notes:****Common Name**

New Jersey Tea

Spikes of white flowers

1'-3' Rounded deciduous shrub

Summer

Dry to medium soil, full sun

Front to mid border shrub

Zones 3-7

Hummingbirds feed off the insects that pollinate this shrub

